

Autograph Foliages

Product Specification

Item Number: AR-162092

Description: 14" Polyblend Vanilla Grass - 72 Blades - Burgundy - Bare Stem - FIRE RETARDANT

Overall Length: 14"

Width: 7"

Height: 0

Stem Length: 3.5"

Material Type: IFR Polyblend® LDPE

Color: Burgundy

Leaf Count: 72

Flower Count: 0

Bud Count: 0

Weighted Base: No

Bare Stem: Yes

Stem/Trunk Type: 0

Custom-Made: No

Fire Retardant: Yes

Limited UV Exterior: No

Polyblend Outdoor: Yes



Packing Information:

Unit of Measure: Pc.

Tray Quantity: 12

Case Quantity: 288

Box Dimension: 29" x 24" x 15"

Est. Box Weight: 61

No. of Cartons: 1

Ships UPS/FedEx: Yes

Brand: Polyblend® Plus FireSafe

Recommended: For Indoor/Outdoor Use

Extra Info:

Testing and Warranty Information:

- NFPA 701 Method 1 Fire Test for Polyblend® Outdoor Plants
- UL 94V Fire Drip Test for Plastic Materials.
- ASTM G155 Xenon Arc Test for 1000 Hours Accelerated Weathering & Fading.
- Polyblend® Outdoor 5 Year Limited Fade Warranty

Autograph Foliages
Manufacturers of Quality Artificial Foliage Since 1971.

Autograph Foliages

Product Specification

Item Number: AR-162090

Description: 14" Polyblend Vanilla Grass - 72 Blades - Tutone Green - Bare Stem - FIRE RETARDANT

Overall Length: 14"

Width: 7"

Height: 0

Stem Length: 3.5"

Material Type: IFR Polyblend® LDPE

Color: Tutone Green

Leaf Count: 72

Flower Count: 0

Bud Count: 0

Weighted Base: No

Bare Stem: Yes

Stem/Trunk Type: 0

Custom-Made: No

Fire Retardant: Yes

Limited UV Exterior: No

Polyblend Outdoor: Yes



Packing Information:

Unit of Measure: Pc.

Tray Quantity: 12

Case Quantity: 144

Box Dimension: 29" x 16" x 12"

Est. Box Weight: 31

No. of Cartons: 1

Ships UPS/FedEx: Yes

Brand: Polyblend® Plus FireSafe

Recommended: For Indoor/Outdoor Use

Extra Info:

Testing and Warranty Information:

- NFPA 701 Method 1 Fire Test for Polyblend® Outdoor Plants
- UL 94V Fire Drip Test for Plastic Materials.
- ASTM G155 Xenon Arc Test for 1000 Hours Accelerated Weathering & Fading.
- Polyblend® Outdoor 5 Year Limited Fade Warranty

Autograph Foliages

Product Specification

Item Number: AR-162094

Description: 14" Polyblend Vanilla Grass - 72 Blades - Grey/Green/Beige - Bare Stem - FIRE RETARDANT

Overall Length: 14"

Width: 7"

Height: 0

Stem Length: 3.5"

Material Type: IFR Polyblend® LDPE

Color: Grey/Green/Beige

Leaf Count: 72

Flower Count: 0

Bud Count: 0

Weighted Base: No

Bare Stem: Yes

Stem/Trunk Type: 0

Custom-Made: No

Fire Retardant: Yes

Limited UV Exterior: No

Polyblend Outdoor: Yes



Packing Information:

Unit of Measure: Pc.

Tray Quantity: 12

Case Quantity: 288

Box Dimension: 29" x 24" x 15"

Est. Box Weight: 62

No. of Cartons: 1

Ships UPS/FedEx: Yes

Brand: Polyblend® Plus FireSafe

Recommended: For Indoor/Outdoor Use

Extra Info:

Testing and Warranty Information:

- NFPA 701 Method 1 Fire Test for Polyblend® Outdoor Plants
- UL 94V Fire Drip Test for Plastic Materials.
- ASTM G155 Xenon Arc Test for 1000 Hours Accelerated Weathering & Fading.
- Polyblend® Outdoor 5 Year Limited Fade Warranty

Autograph Foliages

Manufacturers of Quality Artificial Foliage Since 1971.

Autograph Foliages

Product Specification

Item Number: AR-162096

Description: 14" Polyblend Vanilla Grass - 72 Blades - Orange Rust - Bare Stem - FIRE RETARDANT

Overall Length: 14"

Width: 7"

Height: 0

Stem Length: 3.5"

Material Type: IFR Polyblend® LDPE

Color: Orange Rust

Leaf Count: 72

Flower Count: 0

Bud Count: 0

Weighted Base: No

Bare Stem: Yes

Stem/Trunk Type: 0

Custom-Made: No

Fire Retardant: Yes

Limited UV Exterior: No

Polyblend Outdoor: Yes



Packing Information:

Unit of Measure: Pc.

Tray Quantity: 12

Case Quantity: 288

Box Dimension: 29" x 23" x 15"

Est. Box Weight: 61

No. of Cartons: 1

Ships UPS/FedEx: Yes

Brand: Polyblend® Plus FireSafe

Recommended: For Indoor/Outdoor Use

Extra Info:

Testing and Warranty Information:

- NFPA 701 Method 1 Fire Test for Polyblend® Outdoor Plants
- UL 94V Fire Drip Test for Plastic Materials.
- ASTM G155 Xenon Arc Test for 1000 Hours Accelerated Weathering & Fading.
- Polyblend® Outdoor 5 Year Limited Fade Warranty